

What is claimed is:

[Claim 1] A method for providing a Radio Frequency (RF) transaction solution to a nontraditional transaction device comprising:

receiving user account data from a transaction application stored on a RF module for use in transaction completion, the RF module in physical and logical communication with a nontraditional transaction device microprocessor; and
processing the user account data for transaction completion.

[Claim 2] A method according to claim 1, comprising:

receiving the user account data from the RF module, where the user account data is provided subsequent to authentication of an end user secondary identifier, the secondary identifier being provided for authentication by the end user at a mobile device interface.

[Claim 3] A method of claim 2, comprising receiving the user account data from the RF module via a mobile device universal serial bus (USB), the USB in communication with the RF module via the microprocessor.

[Claim 4] A method of claim 3, comprising receiving the user account data via a user interface in communication with the mobile device USB.

[Claim 5] A method of claim 1, wherein the RF module is integral to the mobile device housing, the RF module in electrical communication with the mobile device microprocessor.

[Claim 6] A method of claim 1, wherein the RF mobile device is configured to communicate with the microprocessor using mobile device electrical connectors in communication with the microprocessor.

[Claim 7] A method of claim 6, wherein the mobile device electrical connectors are configured to accept a subscriber identity module (SIM).

[Claim 8] A method of claim [Claim 1], wherein the RF module is International Standards Organization ISO/IEC 14443 compliant.

[Claim 9] A method of claim 1, mobile device includes a user interface configured to provide secondary identification to the microprocessor in response to a request for secondary identification for end user authentication, the request for secondary identification being provided to the end user via the user interface, the secondary identification being one of voice recognition data, biometric recognition data and alphanumeric data.

[Claim 10] A method of claim 1, comprising receiving a user account data from a RF module, the RF module being activated by a mobile device user interface.

[Claim 11] A method of claim 10, wherein mobile device activates the RF mobile device prior to transaction processing.

[Claim 12] A system for providing a RF payment solution to a mobile device, comprising a RF module configured to be in physical communication with a nontraditional mobile device, the RF module including database for storing user account data and a transponder for transmitting the user account data via radio frequency, the database including a transaction application.

[Claim 13] A system of claim 12, wherein the RF module is in physical and logical communication with a mobile device microprocessor, the mobile device being a nontraditional transaction device.

[Claim 14] A system of claim 13, wherein the RF module is configured to provide user account data for transaction processing, the RF module being configured to provide the user account data via a mobile device USB port.

[Claim 15] A system of claim 12, wherein the RF module is configured to provide the user account data subsequent to the verification of an end user provided secondary identification code, the mobile device including a user interface, the user interface being configured to receive the secondary identification code and provide the secondary identification code to the RF module for authentication.

[Claim 16] A system of claim 13, wherein the mobile device is configured to activate the RF module prior to transaction processing.

[Claim 17] A computer-readable storage medium containing a set of instructions for a general purpose computer configured for:

receiving user account data from a transaction application stored on a RF module for use in transaction completion, the RF module in physical and logical communication with a nontraditional transaction device microprocessor; and

processing the user account data for transaction completion.

[Claim 18] A computer-readable storage medium of claim 17 for:

receiving the user account data from the RF module, where the user account data is provided subsequent to authentication of an end user secondary identifier, the secondary identifier being provided for authentication by the end user at a mobile device interface.

[Claim 19] A computer-readable storage medium of claim 17 for receiving the user account data from the RF module via a mobile device universal serial bus (USB), the USB in communication with the RF module via the microprocessor.

[Claim 20] A computer-readable storage medium of claim 17 for receiving a user account data from a RF module, the RF module being activated by a mobile device user interface.